



- S1210 - $1.21 \times 1.21 \text{ m}$
- S1700 - $1.70 \times 1.70 \text{ m}$


Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mästil/Reacciones – Tramo/Reacções

S1210


 33 m → 45 m



H=37-42 m		H=24-36 m		H=0-23 m	
R1		R1	53 t	R1	49 t
R2	69 t	R2	53 t	R2	47 t
R3	40 t	R3	25.6 t	R3	22 t
M	185 tm	M	116 tm	M	80 tm




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre




H	n°	Tot.
0-18 m	12 A-B	36000 kg
19-33 m	18 A-B	54000 kg
37-42 m	24 B	72000 kg


	A	B
L	3.6m	4.0m
k	0.3m	1.2m
d	1.15m	0.19m




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções

S1700

 33 m → 45 m




H=46–58 m		H=36–45 m		H=0–35 m	
R1	106 t	R1	72 t	R1	65 t
R2	106 t	R2	72 t	R2	65 t
R3	95 t	R3	61 t	R3	54 t
M	336 tm	M	194 tm	M	156 tm



















Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre

H	n°	Tot.
0–35 m	2C+ 18D	60800 kg
36–45 m	2C+ 22D	72000 kg
46–58 m	2C+ 32D	105000 kg



















Curve di carico – Courbes de charges – Load diagrams – LastKurven – Curvas de cargas

Pmax 3000 kg

	14400 kg		50 m	2	27.5	30	32.5	35	37.5	40	42.5	45	47.5	50	m
				3000	3000	2700	2450	2230	2040	1875	1730	1600	1485	1300	kg
	12000 kg		45 m	2	29	32.5	35	37.5	40	42.5	45	m			
				3000	3000	2600	2370	2170	2000	1820	1600	kg			
	10800 kg		40 m	2	30	32.5	35	37.5	40	m					
				3000	3000	2790	2540	2250	2000	kg					
	10800 kg		35 m	2	32.5	35	m								
				3000	3000	2600	kg								
	9600 kg		30 m	2	30	m									
				3000	3000	kg									
	8400 kg		25 m	2	25	m									
				3000	3000	kg									
	7200 kg		20 m	2	20	m									
				3000	3000	kg									
	4800 kg		15 m	2	15	m									
				3000	3000	kg									



Pmax 6000/3000 kg

	14400 kg		50 m	2	15	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	42.5	45	47.5	50	m
				6000	6000	5075	4350	3810	3360	3000	2700	2450	2230	2040	1875	1730	1600	1485	1300	kg
	12000 kg		45 m	2	16	17.5	20	22.5	25	27.5	30	32.5	35	37.5	40	42.5	45	m		
				6000	6000	5350	4600	4050	3550	3190	2870	2600	2370	2170	2000	1820	1600	kg		
	10800 kg		40 m	2	17	20	22.5	25	27.5	30	32.5	35	37.5	40	m					
				6000	6000	4900	4300	3800	3410	3070	2790	2540	2250	2000	kg					
	10800 kg		35 m	2	18	20	22.5	25	27.5	30	32.5	35	m							
				6000	6000	5380	4720	4180	3750	3380	3000	2600	kg							
	9600 kg		30 m	2	19	20	22.5	25	27.5	30	m									
				6000	6000	5690	4990	4430	3800	3300	kg									
	8400 kg		25 m	2	20	22.5	25	m												
				6000	6000	5280	4300	kg												
	7200 kg		20 m	2	17	20	m													
				6000	6000	4500	kg													
	4800 kg		15 m	2	12	15	m													
				6000	6000	4500	kg													






Montaggio - Montage - Erection - Montage - Montaje - Montagem













X (m)	kg
3,2x3,2	2300kg
3,8x3,8	4500kg
4,5x4,5	3800kg

S1210	
(m)	(kg)
3	610
6	1500
12	2500


S1700	
(m)	(kg)
3,9	1600
5,2	2100
11,7	4200



Meccanismi – Mechanisms – Mécanismes – Antriebe – Mecanismos

Sollevamento V20.40 Hoisting Levage Heben Elevaciõn Elevaçao			1a	4 m/min	3000 kg	14.7 kW	S20.40 32 kVA	
			2a	20 m/min	3000 kg			
			3a	40 m/min	1500 kg			
			1a	2 m/min	6000 kg			V20.40 28 kVA
			2a	10 m/min	6000 kg			
			3a	20 m/min	3000 kg			
Sollevamento V25.60 Hoisting Levage Heben Elevaciõn Elevaçao			1a	7 m/min	3000 kg	18.5 kW	S25.60 38kVA	
			2a	28 m/min	3000 kg			
			3a	56 m/min	1500 kg			
			1a	3.5 m/min	6000 kg			V25.60 33 kVA
			2a	14 m/min	6000 kg			
			3a	28 m/min	3000 kg			
Carrello Trolleying Distribution Katzfahren Distribuciõn Distribuiçao			1a	OP 5 m/min	6000 kg	3 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert – Potencia	
			2a	25 m/min	6000 kg			
			3a	50 m/min	3000 kg			
Rotazione Slewing Orientation Schwenken Orientaciõn Rotaçao			1a	0 → 0.2	giri/min tr/min rp/min	4.4 kW @ 1200rpm n° 2 x 2.2 kW		
			2a	0 → 0.6				
			3a	0 → 0.9				
Traslazione Travelling Translation Kranfahren Traslaciõn Translaçao			1a	OP 0 → 5	3.7 kW			
			2a	0 → 20				

Rete elettrica – Réseau – Mains supply – Netzstrom – Red – Rede electrica 400V – 50 Hz

	FEM 1.001 2000/14/CE	
---	-------------------------	--



Documento commerciale non contrattuale
Per tutte le informazioni tecniche riferirsi
alle corrispondenti istruzioni

Unverbindliches Vertriebsdokument.
Für technische Informationen, siehe die
entsprechenden Anweisungen.

This commercial document is not legally
binding. For any technical information, please
refer to the corresponding instructions.

Documento commercial no contractual
Para cualquier información técnica,
ver la noticia correspondiente.

Code: 15ICA37T30A0			
Ed.	Data	Rev	Data
1	15.04.04	0	15.04.04